

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040024792"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:52
S2	280	711/132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:52
S3	28	S2 and LIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:53
S4	2740	LIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:53
S5	1204	S4 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:53
S6	406554	stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 17:20
S7	31	"6026485"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 09:27
S8	0	methods and apparatuses for managing memory.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/19 09:29

S9	0	methods and apparatuses for managing memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/19 09:29
S10	5	methods and apparatuses for managing memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/10/19 09:29
S11	17	("4439828" "5187793" "5313614" "5359507" "5367650" "5479643" "5499352" "5522051" "5524262" "5581183" "5596732" "5600726" "5634118" "5657486" "5699537" "5740441" "5862370").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/19 14:36
S12	25	("6026485").URPN.	USPAT	OR	OFF	2005/10/19 15:32
S13	25	("6026485").URPN.	USPAT	OR	OFF	2005/10/19 15:33
S14	0	711/132,141,143-145,141,170-171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:10
S15	4599	711/132,141,143-145,141,170-171. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:39
S16	37	S15 and future near2 instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:36
S18	144	S15 and trend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:36
S19	70	711/132,141,143-145,141,170-171. ccls. and 707/200-201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:39

S20	7636	711/132,141,143-145,141,170-171. ccls. or 707/200-201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:44
S21	249	S20 and trend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:40
S22	1	S20 and (stack near2 trend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:41
S23	823	S20 and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:41
S24	2	S23 and trend near2 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 16:42
S26	8813	711/132,141,143-145,141,170-171. ccls. or 707/200-201.ccls. or 712/202,208,213,225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:50
S27	1192	S26 and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:36
S28	203	S27 and decod\$2 near2 unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:12

S29	25	"6098089"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:18
S30	4	"6567905"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:20
S31	4	"6571260"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:22
S32	2	"20020065990"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:25
S34	3	"20020069332"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:27
S35	2	"20030101320"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:27
S36	1131	S27 and (future or anticipated or next or later or subsequent or approaching)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:37
S37	369	S27 and (future)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 17:37

S38	114	S27 and (future same instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:01
S39	72	S27 and (future with instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:00
S41	8834	711/132,141,143-145,141,170-171. ccls. or 707/200-201.ccls. or 712/202,208,213,225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
S42	1195	S41 and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:00
S43	72	S42 and (future with instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:00
S44	114	S42 and (future same instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:01
S45	46	S42 and future same instruction\$1 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:01
S46	9	("4530055" "5045996" "5119485" "5467460" "5555398" "5623633" "5668968" "5729713" "5778430").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 10:40
S47	16	("6134634").URPN.	USPAT	OR	OFF	2005/10/20 10:43

S48	119	S41 and (stack\$1 near2 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:55
S49	0	S48 and (stack\$1 near2 analysis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:52
S50	33	S48 and (stack\$1 near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:52
S51	5	S48 and trend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:52
S52	102	S48 and instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:53
S53	1195	S41 and stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:55
S54	201	S53 and stack\$1 same increas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:56
S55	86	S53 and stack\$1 same decreas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:56

S56	81	S53 and stack\$1 same decreas\$3 and increas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:21
S57	71	S53 and (stack\$1 same (decreas\$3 and increas\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:03
S58	17	("4044338" "4453212" "4807115" "4858105" "4928223" "5053631" "5058048" "5129067" "5136697" "5226126" "5226130" "5367650" "5634118" "5651125" "5696955" "5727176" "5771366").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 11:03
S59	3	("6112296").URPN.	USPAT	OR	OFF	2005/10/20 11:09
S60	9216	711/132,141,143-145,141,170-171, 213.ccls. or 707/200-201.ccls. or 712/202,208,213,225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
S61	74	S60 and stack\$1 same (decreas\$3 and increas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:22
S62	74	S60 and (stack\$1 same (decreas\$3 and increas\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:47
S64	23	S60 and (stack\$1 same (decreas\$3 and increas\$3)) and write near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:44
S65	643	top near2 stack\$1 near2 value\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:46

S66	568	stack\$1 near2 tag\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:45
S67	26	speculative with (top near2 stack\$1 near2 value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 13:57
S73	452	stack near2 tag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:25
S74	8	(stack near2 tag) with size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:14
S75	4	(stack near2 tag) with increas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:36
S76	8965	prefetch or (pre-fetch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 15:37
S78	15	S73 same stack\$1 near2 size\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:24
S79	19	S73 and dirty near2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:46

S80	241	stack adj cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:24
S81	21	S80 same (predecode or pre-decode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:47
S82	59	S80 and (write near2 back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:13
S83	15	S82 and predecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:56
S84	48113	(operation instruction command) near2 (buffer queue stack cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:26
S85	24879	(operation instruction command) adj (buffer queue stack cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:23
S86	29436	(operation instruction command) near2 (buffer queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:23
S87	1063	S84 same write near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:27

S88	155	S87 same dirty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:27
S90	0	S88 same predecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:25
S91	59511	(operation\$1 instruction\$1 command\$1) near2 (buffer\$1 queue\$1 stack\$1 cache\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:26
S92	1302	S91 same write near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:27
S93	187	S92 same dirty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:27
S94	44	S93 same (forecast future anticipat\$3 next later subsequent approach\$3 speculative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:28
S95	8	("5155824" "5542066" "5581725" "5634109" "5802559" "5829010" "5860110" "5895488").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 18:07
S96	6	("6119205").URPN.	USPAT	OR	OFF	2005/10/20 18:08
S97	315	determin\$3 with stack\$1 near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:14

S98	117	determin\$3 near2 stack\$1 near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:15
S99	146	(determin\$3 or detect\$3) near2 stack\$1 near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:14
S10 1	233	stack\$1 near2 pointer with addition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:30
S10 2	10	stack\$1 near2 pointer with (addition and subtraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:31
S10 4	351	stack\$1 near2 pointer with updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:32
S10 5	178	(stack\$1 near2 pointer with updat\$3) same instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:37
S10 6	16	(stack\$1 near2 pointer with updat\$3) same instruction\$1 same (stack\$1 near2 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:38
S10 7	19	(stack\$1 near2 pointer with updat\$3) same (stack\$1 near2 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:38

S11 0	155	stack near2 pointer.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:08
S11 1	3	stack near2 pointer.ti. and stack adj size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:46
S11 2	10	stack near2 pointer.ti. and stack near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:46
S11 3	5	stack\$1 near2 pointer\$1 near2 updat\$3 .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 09:53
S11 4	5	stack\$1 near2 pointer\$1 near2 updat\$3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:08
S11 5	18	stack near2 pointer.ti.	US-PGPUB; USPAT	OR	OFF	2005/10/21 10:11
S11 6	1407	stack\$1 near2 pointer\$1 same (increment\$3 or increas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:10
S11 8	52	(stack near2 pointer.ti.) or (stackpointer\$)	US-PGPUB; USPAT	OR	OFF	2005/10/21 10:12
S11 9	55	(stack\$1 near2 pointer\$1.ti.) or (stackpointer\$)	US-PGPUB; USPAT	OR	OFF	2005/10/21 10:12
S12 0	44	"5142635"	US-PGPUB; USPAT	OR	OFF	2005/10/21 10:17
S12 1	45	"5006980"	US-PGPUB; USPAT	OR	OFF	2005/10/21 10:17

S12 2	12	"6009499"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:29
S12 3	10	"5893148"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:56
S12 4	26	("3786432" "3829837" "3889243" "4386402" "4517640" "4530049" "4583165" "4652996" "4670839" "4704679" "4811208" "4916604" "4922414" "4969091" "5029070" "5043870" "5107457" "5151895").PN. OR ("5893148"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/21 16:11
S12 6	100	(determin\$3 or detect\$3) near2 stack\$1 near2 length\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:14
S12 7	728	dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:35
S12 8	25	(sinlge or one) near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:18
S12 9	23	S127 same stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:18
S13 0	352	S127 same writ\$3 near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 09:28

S13 1	83	S127 same coherenc\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:12
S13 3	4	"6151661"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:12
S13 5	1	("6151661").URPN.	USPAT	OR	OFF	2005/10/24 10:28
S13 6	13	("3786432" "4197580" "4386402" "4530049" "4670839" "4704679" "4755936" "4811208" "4835738" "4916604" "4922414" "4928239" "4947316").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 13:06
S13 7	52	("4928239").URPN.	USPAT	OR	OFF	2005/10/24 10:44
S13 8	3381	cache same writ\$3 near2 back	USPAT	OR	OFF	2005/10/24 10:44
S13 9	371	S138 and S127	USPAT	OR	OFF	2005/10/24 10:45
S14 0	38	S139 and word near2 line\$1	USPAT	OR	OFF	2005/10/24 11:17
S14 1	14	("5247648" "5829030" "5860111" "5895485" "5958045" "6119205" "6356996").PN. OR ("6564301").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 10:50
S14 2	3	S139 and (last or final) near2 word near2 line\$1	USPAT	OR	OFF	2005/10/24 11:22
S14 3	4	S139 and (last or final) near2 word same line\$1	USPAT	OR	OFF	2005/10/24 11:18
S14 4	62	address\$2 same (last or final) near2 word same cache near2 line\$1	USPAT	OR	OFF	2005/10/24 11:24
S14 5	6	address\$2 same (last or final) near2 word same cache near2 line\$1 same block	USPAT	OR	OFF	2005/10/24 11:23
S14 6	23	S144 and writ\$3 near2 back	USPAT	OR	OFF	2005/10/24 11:24
S14 7	23	dirty near2 cache near2 line\$1 same stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:39

S14 8	498	stack near2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:41
S14 9	15	S148 same dirty near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:40
S15 0	25	S148 and dirty near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:27
S15 1	1486	cache with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:28
S15 2	219	cache with stack\$1 with line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:28
S15 3	18	cache with stack\$1 with line\$1 with dirty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:28
S15 4	23	(dirty or messy) near2 cache near2 line\$1 same stack\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:39
S15 5	0	S148 same messy near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 13:40

S15 7	54	S148 same writ\$3 near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:37
S15 8	293	cache same main adj memory same dirty near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:38
S15 9	164	S158 same writ\$3 near2 back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:48
S16 0	61	S159 and write near2 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:40
S16 1	453	writ\$3 near2 back.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:47
S16 2	261	S161 and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:02
S16 3	94	linefill	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:47
S16 4	3	S159 and linefill	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:59

S16 5	34	dirty adj cache adj line\$1 same cache adj memory same main adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:31
S16 6	2	"20040024792"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 16:16
S16 7	3	"6578111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:42
S16 8	15	"6038643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:42
S16 9	3	711/132.ccls. and dirty near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:04
S17 0	5	711/132.ccls. and dirty near2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:16
S17 1	12	711/132.ccls. and dirty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 10:22
S17 2	19	711/132.ccls. and (writeback or write adj back or write near2 back)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 11:05

S17 3	31	"5687336"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:00
S17 4	728	dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:52
S17 5	129	S174 same (word or block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:01
S17 6	1518	dirty near2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:42
S17 7	1177	S176 same (block\$1 or word\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:04
S17 8	871	S177 same writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:05
S18 1	538	S178 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:12
S18 2	52	S181 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:13

S18 3	581	S176 same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:53
S18 4	447	S183 same writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:53
S18 5	260	S184 and ("711"/\$.ccls. or "712"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:47
S18 6	366	S184 same (block\$1 or line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:47
S18 7	207	S186 and ("711"/\$.ccls. or "712"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:53
S18 8	907	dirty near2 cache near2 (line\$1 or block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:58
S18 9	381	S188 same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:58
S19 0	286	S189 same writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:53

S19 1	155	S190 and ("711"/\$.ccls. or "712"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 16:54
S19 2	227	dirty near2 cache near2 (line\$1 or block\$1) near2 writ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:14
S19 3	57	S192 same address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:02
S19 4	8	dirty near2 cache near2 (line\$1 or block\$1) near2 writ\$3 near2 word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:00
S19 5	58	S192 same (first or last)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:02
S19 6	10	S192 near2 (first or last)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:03
S19 7	11	S192 near2 (first or last or beginning or end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:04
S19 8	12	S192 near2 (locat\$3 or determin\$3 or find)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:11

S19 9	13	S192 near2 (locat\$3 or determin\$3 or find or specific)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:12
S20 0	13	S192 near2 (locat\$3 or determin\$3 or find or specific or predetermined or exact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:12
S20 1	15	dirty near2 cache near2 line\$1 near2 block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:15
S20 2	18	dirty near2 cache near2 line\$1 near2 word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:18
S20 3	0	dirty near2 cache near2 block\$1 near2 word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:21
S20 4	11	dirty near2 cache near2 block\$1 near2 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:22
S20 5	7	dirty near2 cache near2 line\$1 near2 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:28
S20 6	12	dirty near2 cache near2 word	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 17:28

S20 7	4	"6151661"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/25 18:03
S20 8	135	writ\$3 near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:10
S20 9	0	writ\$3 near2 to near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:28
S21 0	0	writ\$3 near2 to near2 dirty near2 cache near2 (line\$1 or block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:33
S21 1	2	rewrit\$3 near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:24
S21 2	0	writ\$3 near2 again near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:25
S21 3	0	writ\$3 near2 to near2 dirty near2 (line\$1 or block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:33
S21 4	98	modifi\$6 near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:36

S21 5	0	modifi\$6 near2 to near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 10:36
S21 6	11	"5848433"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 11:38
S21 7	249	writ\$3 near5 (dirty near2 cache near2 line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:02
S21 8	14	writ\$3 near5 (dirty near2 cache near2 line\$1) not back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 12:02
S22 0	0	writ\$3 near5 "to" near5 dirty near2 cache near2 (line\$1 or block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:29
S22 1	424	writ\$3 near5 dirty near2 cache near2 (line\$1 or block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:29
S22 2	28	S221 not back	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:29
S22 3	2	overwrit\$3 near2 dirty near2 cache near2 line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:41

S22 4	0	writ\$3 near2 dirty near2 cache near2 line\$1 near5 again	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 11:10
----------	---	--	---	----	-----	------------------